



## DustPRO 1500 iQ

MECHANICAL ENGINEERING

Last Updated on 30.08.2018



High end industrial particle and dust extractor.

The biggest in our DustPRO range, the DustPRO 1500 iQ combines a 100 litre pre filter bag and high efficiency HEPA with high airflows and pressure. This combination makes it ideal for heavy duty applications that generate large amounts of particulate.

One of the main problems with other dust extractors relates to the type of blower used. Most have brushed motors which are noisy in operation and frequently burn out. The blower used in the DustPRO 1500 iQ is brushless and designed for longer continuous running before servicing.

### Technology



Intelligent (iQ)  
Operating System



HEPA filter



Reverse flow air  
(RFA) technology



Automatic flow  
control (AFC)  
technology



Patented  
technology



ProTECT service  
plan



SureCHECK  
quality standard

### Key Features of the DustPRO 1500 iQ

iQ operating system  
Standard

Reverse Flow Air filter technology  
Standard

Brushless motor  
Standard

HEPA filter technology  
Standard

High airflow and pressure rates  
Standard

Automatic flow control system  
Standard

Filter blocked indicator  
Standard

SureCHECK quality standard  
Standard

Vodex Ltd, Unit 9 Claylands Business Park, Claylands Road, Bishops Waltham, Hants SO32 1QD

Tel: +44 (0)1489 899070 Web: [www.vodex.co.uk](http://www.vodex.co.uk) EM: [sales@vodex.co.uk](mailto:sales@vodex.co.uk)



**ProTECT**  
Standard

**Remote stop/start interface**  
Optional

**Onboard compressor**  
Optional

**Patented Technology**  
Standard

**Filter change/system fail signal**  
Optional

## Technical specifications

1. iQ Display

2. On / Off switch

3. Power cable

4. Signal / Interface cable

5. Castors

6. Door hinge

7. Hose inlet connection -  
125mm


8. Exhaust outlet

9. Motor cooling inlet



10. Door latch

11. Motor cooling outlet

12. Standby button



## Airflow through filters



### Technical data

	EU
Dimensions (HxWxD)	1205 x 615 x 790mm (47.44 x 24.21 x 31.10")
Cabinet construction	Powder coated mild steel
Airflow / Pressure	1250m <sup>3</sup> /hr / 735mbar
Electrical data	230v 1ph 50/60Hz Full load current: 21.6 amps / 3.3kw 415v 3ph 50/60Hz Full load per phase: 8.5amps Neutral 14.5amps
Noise level	< 68dBA (at typical operating speed)
Weight	102kgs / 225lbs
Approvals	CE / cUL / UL

### Bag filter specifications

Volume area	100ltrs approx
Filter media	Polyester
Filter media construction	8 pocket bag filter
Surface media area	2.5m <sup>2</sup> approx (26.9 ft <sup>2</sup> )
Filter efficiency	95% @ 0.9 microns

### HEPA filter specifications

HEPA filter media	Glass fibre
HEPA media construction	Maxi pleat construction with webbing spacers
Surface media area	7.5m <sup>2</sup> approx (80.7 ft <sup>2</sup> )
Filter efficiency	99.997% @ 0.3 microns

### Part numbers

Model	Voltage	Part number	24V Stop/Start	Filter change / System failure signal
-------	---------	-------------	----------------	---------------------------------------

## Part numbers

DustPRO 1500 iQ Powder coated	230V	30811629-1419	A2001	A2002
DustPRO 1500 iQ Powder coated	115V	45812129-1419	A2001	A2002

## Replacement filters

Model	Bag filter part number	HEPA filter part number
DustPRO 1500 iQ	A1030395	A1030394

*Datasheet correct at time of publishing. For specific applications, please contact us for details.*

*Think before you print! Please consider the environment before printing this document.*

