

VXJ-1 Portable Single Inlet or VXJ-2 Twin Inlet Jewellery Fume and Dust Extractors

Quiet, compact and feature rich, low cost jewellery dust and fume extraction systems.

RECYCLE CLEAN AIR BACK INTO THE ROOM - NO NEED FOR HOLES IN WALLS OR ROOFS!

The **VXJ-1 and VXJ-2** extraction units are designed to extract and filter fine airborne dust and fumes created from jewellery filing, flame soldering and plating fumes via heat proof stay-put stainless steel arms and nozzles.

This compact, portable system is supplied with a stainless steel arm and hose kit (Two arms on the VXJ-2) Filtration is provided via a Pre filter, HEPA filter and a special blended acid carbon gas filter to enable filtration from organic VOC's from soldering fumes and rhodium pickling acidic vapours.

nd tested HEPA

Filtration

Variable speed control and infrared remote control come as standard.

Meets UK COSHH/HSE Regulations

Minimal installation allows this unit to be moved with the work bench if and when workshop layouts need changing.

Suitable for the following:

- Soldering fumes (Including flame)
- Adhesives
- Organic solvent vapours
- Fine airborne dust and particulates
- Rhodium Vapours

Control panel and remote control









VX-J1 - VXJ-2 Unit Filter Configurations



- < Replacement Filter Pad Inserts
- < PreBox Cell
- < Certifed H13 HEPA Cell
- < DeepBed blended carbon cell for soldering AND acidic Rhodium Plating fumes and

KEY FEATURES & BENEFITS

- ▼ Remote controlled
- ▼ Anti tamper mode
- ▼ Digital speed control
- ▼ Blocked filter alarm
- ▼ 300m3/hr air flow
- ▼ Mobile with lockable wheels
- ▼ Hours running display
- ▼ Programmable shut down mode: 1-300 hours
- Exceeds COSHH and HSG258 regulations
- ▼ UKCA approved

VXJ-1 Single Inlet Unit with 40mm Stainless arm & funnel with install kit



VXJ-2 Twin Arm Unit with 2 x 40mm Stainless arms & funnels with install kits



TECHNICAL SPECIFICATIONS

230v 50Hz Voltage Low Energy 210w

Dimensions (HWD) 440mm x 425mm x 250mm Unit Construction Powder Coated Mild Steel

300m3/Hr Airflow **Electrical Data** 230v 1ph 50/60Hz Low Noise <54dBA Noise Level

14Kg Weight

PRODUCT NUMBERS

Product Description

1 VXJ-1 VX 230v Unit Single Inlet with 1x 40mm S.Steel Flip Top Arm (Funnel Nozzle) 2 VXJ-2 VX 230v Unit Twin Inlet with 2 x 40mm S.Steel Flip Top Arms (Funnel Nozzle)

V511-SSARMKIT-FN Replacement 40mm Bench Mounted Stainless Steel Arm with Funnel Nozzle &

Flip Top install Kit

VXJ-1 VXJ-2 Replacement Filters V878-PRE-4 VX Replacement Pre-Pad Inserts (4pk) V878-HEPA VX Replacement H13 HEPA Filter Cell

V878-DEEP-AC VX Replacement DeepBed ACID Carbon Filter

APPROVED AND TRUSTED









Further voltage and filter configurations are available, please contact the office for further details.







COSHH Compliant - Meets **HSG258**

< Left: Several VXJ-1 Installed units -Image courtesy of Harriet Kelsall Bespoke Jewellery



Speak to us today for advice on the best fume and dust extraction systems designed for industry and manufacturing





sales@vodex.co.uk



www.vodex.co.uk

