













The BOFA inline pre filter 1000 has been designed specifically for applications that generate high amounts of fine dust or particulate.


This inline filter unit is positioned alongside the main BOFA fume filtration system to increase the overall filter capacity and extend the life of the main filters. The DeepPleat DUO pre-filter incorporates a massive drop-out chamber within the filter, having a volume area of 15ltrs. Above the drop-out chamber but still within the housing there is a sealed 200mm deep pleat layer of F8 media giving a surface area in excess of 30 sq metres.

Inline Filtration System


The perfect 'companion' for fume extraction solutions that need a longer life on applications where high amounts of dust and particulate are generated.

STANDARD FEATURES:

- DeepPleat DUO pre filter
- Extended filter life
- Large filtration area
- Filters with long life and low replacement cost









Inline filter (ILF 1000)

BOFA filtration system

UNIT PART NUMBERS		REPLACEMENT FILTERS - PART NUMBERS	
Model	Part No.	Model	Part No.
ILF 1000 Stainless Steel	A1030307	DeepPleat DUO Pre Filter	A1030222


TECHNICAL DATA - ILF 1000			
	EU	US	
Dimensions (HxWxD)	647 x 600 x 690 mm	25.5 x 23.6 x 27.2"	
Cabinet Construction	Stainless Steel	Stainless Steel	
Weight	25kg	55lbs	
Exhaust Outlet	125mm	4.9"	

DEEPPLEAT DUO PRE FILTER SPECIFICATIONS		
Surface Media Area	30m² approx	
Filter Media	Glass Fibre	
Filter Media Construction	Maxi Pleat Construction with Webbing Spacers	
Filter Housing	Zintec mild steel	
Filter Efficiency	F8 (95% @ 0.9 microns)	



AIRFLOW THROUGH FILTERS





TECHNICAL SPECIFICATION



- 1 Inlet 125mm
- 2 Exhaust Outlet 125mm
- 3 Filter Compartment Hinges
- 4 Filter Compartment Latch
- 5 Vacuum sensor pipe
- 6 Double Castors























